WELDING JOURNAL INDEX

VOLUME 38—1959

PUBLISHED BY THE AMERICAN WELDING SOCIETY, 33 WEST 39TH STREET, NEW YORK 18, N. Y.

Welding Journal

This part includes general technical articles, papers presented before Section and National meetings, articles for the practical welder and designer, news, biographical items, current welding literature and advertising.

Page allocation by issues

January	1–98	July	645–742
February	99–196	August	743–840
March	197–294	September	841–946
April	295–448	October	947–1046
May	449–546	November	1047–1152
June	547–644	December	1153–1250

Welding Research Supplement

This section includes the reports of the Welding Research Council, critical digests of the literature, reports of the Project Committees and research reports of industry.

Page allocation by issues

January	1-s–48-s	July	273-s–304-s
February	49-s–96-s	August	305-s–344-s
March	97-s–144-s	September	345-s–392-s
April	145-s–208-s	October	393-s–424-s
May	209-s–240-s	November	425-s–456-s
June	241-s–272-s	December	457-s–496-s

WELDING JOURNAL

SUBJECT INDEX

Abrasion Soldering, Joining Aluminum with High-Zinc Solders by—O. R. SINGLETON, JR., 34–36.

Aircraft Structures, Fatigue in Welded, Some Considerations on Design for—J. KOZIARSKI, 567–575.

*All-Welded Aluminum Boat Gives High Speed Performance, 359.

*Alloy Steels for Big Shovel Welded by Semiautomatic Submerged Arc—ALFRED TOZER, 480–481.

Alloy Welding Fluxes for Low-Alloy Steels, Stainless Steels and Hard Surfacing—R. A. WILSON, 20–27.

Aluminum, New Developments in the Welding of—R. L. HACKMAN, 676–684.

Aluminum, Ultrasonic Welding of—F. R. COLLINS, J. D. DOWD and M. W. BRENNECKE, 969–975.

*America's "Ace in the Hole"—Atomic Submarines—GEORGE W. KIRKLEY and SHERMAN R. POPPEN, 783–785.

*Arc and Air Speed Track Repair, 138.

Arc Torch, Modern, The Principles of the—R. M. GAGE, 959–962.

Arc Welding Processes and Equipment for Automation—F. E. ADAMSON, 1070–1079.

Atomic Power Plant, Training of Inert-Gas Welders at—G. J. GREENE and D. E. CALLAHAN, 129–131.

Automatic Feedback Control of Resistance Spot Welding, New System for—G. A. ARCHER, 987–993.

Automatic Welding Techniques Speed Erection of Reactor Vessels—W. A. DAVIS, 125–128.

Automation, Arc Welding Processes and Equipment for—F. E. ADAMSON, 1070–1079.

*Automation Makes the Difference—E. W. HOKANSON and P. D. WADE, 1097.

Automobile Body Construction, Unitized—KARL M. SIMS, 865–869.

Ballistic Missiles, Roll-Spot Welding for—JAMES K. DAWSON, 475–479.

*Boosting the Vanguard Satellites—A. H. BUTLER, JR., 1094.

Brazing and Soldering, High-Frequency Induction—JOSEPH LIBSCH and PAT CAPOLONGO, 1059–1069.

Brazing Dissimilar Metal Joints, Predicting Gap Change Reduces Trial Runs in—D. C. HERRSCHAFT, 232–235.

Bridge, Transfer, Welded Steel, for Loading Railroad-Car Floats—M. L. KOEHLER, 860–864.

Bridges, Highway and Railway, Design Details for Welded—MARCELLO H. SOTO, 559–564.

Buffalo Bayou Bridge and Future Long-Span Possibilities—CHARLES S. MATLOCK and FARLAND C. BUNDY, 665–671.

Carbon-Arc Process, Compressed-Air, Recent Metal-Removal Developments—MYRON D. STEPATH, HOMER B. NELSON and WM. J. COUGHLIN, 755–759.

* A "Practical Welder and Designer" article.

Carbon-Dioxide Welding, Dip-Transfer—ROGER W. TUTHILL, 976–981.
Clad Steel Pipe, Welded, for Reactor Construction—WILLIAM H. FUNK, 766–771.
Containment Sphere, Welding of, for Dresden Nuclear Power Station—PERRY C. ARNOLD, 461–468.
Control of Process Variables—Key to Successful Welding of Foil—JOHN CAMPBELL, 1182–1191.
*Cool Air and Ice—Thanks to a 6000° F Flame, 996–998.
Corrosion Tests on Metallized Coatings—COMMITTEE ON METALLIZING, AMERICAN WELDING SOCIETY, 215–221; Correction, 664.
*Cutting Torches Build New Beams, 789.
Cutting, Tungsten-Arc, of Stainless-Steel Shapes in Steel Warehousing Operations—JOHN D. WAIT and STEPHEN H. RESH, 576–581.

Design Details for Welded Highway and Railway Bridges—MARCELLO H. SOTO, 559–564.
Developments in the Welding of Aluminum—R. L. HACKMAN, 676–684.
Development of Welded-Steel Lathes—GORDON M. SOMMER, 342–346.
Dip-Transfer Carbon-Dioxide Welding—ROGER W. TUTHILL, 976–981.
Dresden Nuclear Power Station, Welding Equipment for the—WILLIAM R. SMITH, 307–316.

*Economies Effected in the Semi-automatic Welding of Piling—J. F. GULLEY, 887–888.
*Eight Miles of Welding on Cantilevered Plate Girders for Service Hangar—JOSEPH STRAUSS, 357–358.
Electro-Slag Method of Welding Metals of Large Thickness—M. M. BARASH, W. B. HEGINBOTHAM, and P. B. L. OXLEY, 132–134.
Extrusions in Tank Fabrication—MARTIN J. COEN, 982–986.

Fabrication and Construction of Piping System for the Dresden Nuclear Power Station—G. B. GRABLE and A. M. CROSWELL, 657–664.
Fabrication of Welded Highway Girders—R. A. WILSON, 111–124.
*Facelifting—Freighter Converted to Luxury Liner—STAN RICHARDSON, 885–886.
Flux-Cored CO_2 Welding Process, Progress Report on the—A. F. CHOUINARD and J. A. HOWERY, 334–341.
Fluxes, Alloy Welding, for Low-Alloy Steels, Stainless Steels and Hard Surfacing—R. A. WILSON, 20–27.
Foil, Key to Successful Welding of—Control of Process Variables—JOHN CAMPBELL, 1182–1191.
*4000-lb Iron Castings Salvaged by Compressed Air-Arc Cutting—MARTIN BOYER, 239–240.
Fuels and Controls for Dresden Nuclear Power Station, Welding of—C. N. SPALARIS and J. W. WEYERS, 760–765.
Fusion Welding Precipitation-Hardening Steels—RUSSELL MEREDITH, 963–968.

*Gas-Shielded Metal-Arc Welding Used in Fabricating Intricate Processing Controls—GLENN HARTWICK and GLEN WARREN, 994–995.

Hampton Road All-Welded Steel Arch Bridge—WM. LLEWELLYN POWELL, DOUGLAS A. NETTLETON, MILTON E. ELIOT and JOE C. BRIDGEFARMER, 317–325.
High-Frequency Induction Brazing and Soldering—JOSEPH LIBSCH and PAT CAPOLONGO, 1059–1069.
High-Test Line Pipe, Maintenance Welding of—A. M. HILL and F. W. ZILM, 326–333.
Highway Girders, Fabrication of Welded—R. A. WILSON, 111–124.
*How to Weld Copper to Stainless Steel and Mild Steel—H. B. BOTT, 236–238.

Inconel, Welding of, for Nuclear Power Applications—W. A. FRAGETTA and G. R. PEASE, 347–356.
Induction Brazing and Soldering, High Frequency—JOSEPH LIBSCH and PAT CAPOLONGO, 1059–1069.
Inert-Gas Consumable-Electrode Welding of Thin Material—T. McELRATH, 28–33.

Joining Aluminum with High-Zinc Solders by Abrasion Soldering—O. R. SINGLETON, JR., 34–36.
*Joining Braided Wire to Heavy Casting "Couldn't Be Done" But—CHUCK BASTION, 1093.

*King-Size Fittings Five Times Faster—M. W. MEIERHOFF, 685–686.

Lathes, Development of Welded-Steel—GORDON M. SOMMER, 342–346.
Long-Span Possibilities, Buffalo Bayou Bridge and Future—CHARLES S. MATLOCK and FARLAND C. BUNDY, 665–671.

*Magnetic-Flux Gas-Shielded Welding 3 to 1—C. F. CROWSON, 485

Maintaining Superior Weld Quality in a Plutonium Production Plant—C. D. BRONS, 853–859.
Maintenance Welding of High-Test Line Pipe—A. M. HILL and F. W. ZILM, 326–333.
Metal-Removal Developments with Compressed-Air Carbon-Arc Process, Recent—MYRON D. STEPATH, HOMER B. NELSON and WM. J. COUGHLIN, 755–759.
Metallized Coatings, Corrosion Tests on—COMMITTEE ON METALLIZING, AMERICAN WELDING SOCIETY, 215–221; Correction, 664.
*Mirage in Maracaibo—H. W. BAILEY and R. S. MAY, 37–38.

New System for Automatic Feedback Control of Resistance Spot Welding—G. R. ARCHER, 987–993.
*No Margin for Error on This Job—G. D. CRAWFORD and A. H. BUTLER, JR., 1192–1193.

*Offshore Fabricator Uses Compressed Air and Carbon Arc for Metal Removal, 688.
Oxyacetylene Pressure Welding of High-Speed Rocket Test Rack—E. S. McKITTRICK and W. E. DONALDS, 469–474.
Oxy-Fuel Flame, Plasma, A Substitute for—JAMES A. BROWNING, 870–875.
*Oxygen Cuts Made on Rail Installation 184 Ft Long—A. H. YOCH, 135.

Pipe Line, Submerged-Arc Welding on the—WILLIAM B. HANDWERK, 672–675.
Pipe-Line Welders, Welder-Qualification Requirements for—ROBERT R. WRIGHT and ROBERT S. RYAN, 209–214.
Pipe-Welding Machine, Portable—H. L. SAUNDERS, 876–884.
Piping System for the Dresden Nuclear Power Station, Fabrication and Construction of—G. B. GRABLE and A. M. CROSWELL, 657–664.
Plasma—A Substitute for the Oxy-Fuel Flame—JAMES A. BROWNING, 870–875.
*Powder Gives Cutting Flames a Flying Start, 888–889.
Power Pipe Joints, Tungsten-Arc Welding the Root Pass of—ROBERT W. BENNETT, 1175–1181.
Portable Pipe-Welding Machine—H. L. SAUNDERS, 876–884.
Practical Approach to Determine Weld Size—OMER W. BLODGETT, 775–782.
Practical Welder and Designer—37–40; 135–140; 236–242; 357–364; 480–485; 582–585; 685–690; 783–791; 885–889; 994–999; 1091–1097; 1192–1193.
Practical Welding Procedures—STANLEY I. ROBERTS and CLARENCE E. COLE, 772–773.
Precipitation-Hardening Steels, Fusion Welding of—RUSSELL MEREDITH, 963–968.
Predicting Gap Change Reduces Trial Runs in Brazing Dissimilar Metal Joints—D. C. HERRSCHAFT, 232–235.
Pressure Welding, Oxyacetylene, of High-Speed Rocket Test Rack—E. S. McKITTRICK and W. E. DONALDS, 469–474.
Principles of the Modern Arc Torch—R. M. GAGE, 959–962.
*Production Efficiency Slashes Costs—L. W. JOHNSON and J. W. DICKINSON, 686–687.
Progress Report on the Flux-Cored CO_2 Welding Process—A. F. CHOUINARD and J. A. HOWERY, 334–341.

Railroad-Car Components, Submerged-Arc Applications in the Fabrication of—CHARLES A. ZWISSLER and ROBERT A. HAY, 13–19.
Reactor Vessels, Automatic Welding Techniques Speed Erection of—W. A. DAVI, 125–128.
Recent Metal-Removal Developments with Compressed-Air Carbon-Arc Process—MYRON D. STEPATH, HOMER B. NELSON and WM. J. COUGHLIN, 755–759.
*Redesign of Turbine-Rotor Assembly for Brazing Cuts Costs 80%—1193.
*Refrigerator and Condenser Frames, 135–137.
Resistance-Welding Machines, Transformers for—JOSEPH T. RILEY, 1080–1090.
Roll-Spot Welding for Ballistic Missiles—JAMES K. DAWSON, 475–479.

* A "Practical Welder and Designer" article.

*Semiautomatic Submerged-Arc Welding Speeds Fabrication of Large Beams—E. E. GOEHRINGER, 138–140.
*Shrinking Gas, 584.
*Slit "T's" and Welding Strengthen Deck Framing, 788.
*Solve Repair Problems with Braze Welding, 790.
Some Considerations on Design for Fatigue in Welded Aircraft Structures—J. KOZIARSKI, 565–575.
*Spray Hard Surfacing Increases Service Life of Fans 20 Times—J. E. LOONEY and S. L. NEWCOM, 998.
Steel Arch Bridge, Hampton Road All-Welded—WM. LLEWELLYN POWELL, DOUGLAS A. NETTLETON, MILTON E. ELIOT and JOE C. BRIDGEFARMER, 317–325.
*Stratofortress Shock Stopper, 39–40.
Submerged-Arc Applications in the Fabrication of Railroad-Car Components—CHARLES A. ZWISSLER and ROBERT A. HAY, 13–19.
*Submerged-Arc-Welded 48-Ton Sulfate Digester, 240.
Submerged-Arc Welding on the Pipe Line—WILLIAM B. HANDWERK, 672–675.
*Submerged-Arc Welding Speeds Assembly of Rib Arch Framing—B. J. BRUGGE, 582–583.

Tank Fabrication, Extrusions in—MARTIN J. COEN, 982–986.
Tantalum, Tungsten-Arc Welding of—L. R. HASLIP and B. S. PAYNE, 1165–1174.
Thin Material, Inert-Gas Consumable-Electrode Welding of—T. MCELRATH, 28–33.
*Thirteen Miles of Welds in West Coast Loading Dock, 484.
*Through Snow, Sleet or Swamp—WEB PURCELL, 362–363.
*Tool Joints Surfaced with Tungsten-Carbide Particles, 364.
Training of Inert-Gas Welders at an Atomic Power Plant—G. J. GREEN and D. E. CALLAHAN, 129–131.
Transformers for Resistance-Welding Machines—JOSEPH T. RILEY, 1080–1090.
Tungsten-Arc Cutting of Stainless-Steel Shapes in Steel-Warehousing Operations—JOHN D. WAIT and STEPHEN H. RESH, 576–581.
Tungsten-Arc Welding the Root Pass of Power-Pipe Joints—ROBERT W. BENNETT, 1175–1181.
Tungsten-Arc Welding of Tantalum—L. R. HASLIP and B. S. PAYNE, 1165–1174.
*Tungsten-Arc Welding Shows the Way—A. L. REES, 242.
*Turntable Slashes Production Time, 1091.
Ultrasonic Welding of Aluminum—F. R. COLLINS, J. D. DOWD and M. W. BRENNECKE, 969–975.
Unitized Body Construction, Automobile—KARL M. SIMS, 865–869.

*We Couldn't Operate . . . —EDWARD CAPLAN and JOHN J. SULLIVAN, 689.
Weld Quality in a Plutonium Production Plant, Maintaining Superior—C. D. BRONS, 853–859.
Weld Size, Practical Approach to Determine—OMER W. BLODGETT, 775–782.
*Welded Aluminum Boats for Salmon Fishing, 1092.
*Welded Aluminum Boats Replace Steel—FRED W. STEWART and ROBERT S. MAY, 690.
*Welded Atomic-Power-Plant Boiler Containers Are Sealed in a Vault—CHARLES W. Lytton, 241–242.
Welded Clad Steel Pipe for Reactor Construction—WILLIAM H. FUNK, 766–771.
*Welded Design Leads to Low-Cost Structural-Steel Parking Deck, 482–483.
*Welded-Plate-Girder Arches Span 226-Ft Stadium—E. B. REEVES, 786.
*Welded-Steel Flasks Prove Highly Successful—R. P. WOLGAST, 360–361.
Welded-Steel Transfer Bridge for Loading Railroad-Car Floats—M. L. KOEHLER, 860–864.
Welded Structures, Plastic Design in—CYRIL D. JENSEN, 222–231.
*Welded Studs Secure Insulation and Lagging for High-Temperature Boiler, 787.
Welder-Qualification Requirements for Pipe-Line Welders—ROBERT R. WRIGHT and ROBERT S. RYAN, 209–214.
Welding Equipment for the Dresden Nuclear Power Station—WILLIAM R. SMITH, 307–316.
Welding of Containment Sphere for Dresden Nuclear Power Station—PERRY C. ARNOLD, 461–468.
Welding of Fuels and Controls for Dresden Nuclear Power Station—C. N. SPALARIS and J. W. WEYERS, 760–765.
Welding of Inconel for Nuclear-Power Applications—W. A. FRAGETTA and G. R. PEASE, 347–356.
*Welding Plus Planishing Improve Coffee-Pot Bodies—40.
Welding Procedures, Practical—STANLEY I. ROBERTS and CLARENCE E. COLE, 772–773.

* A "Practical Welder and Designer" article.

AUTHOR INDEX

ADAMSON, F. E.—Arc-Welding Processes and Equipment for Automation, 1070–1079.
ARCHER, G. R.—A New System for Automatic Feedback Control of Resistance Spot Welding, 987–993.
ARNOLD, PERRY C.—Welding of Containment Sphere for Dresden Nuclear Power Station, 461–468.

BAILEY, H. W.—Mirage in Maracaibo, 37–38.
BARASH, M. M.—Electro-Slag Methods of Welding Metals of Large Thickness, 132–134.
BASTION, CHUCK—Joining Braided Wire to Heavy Casting "Couldn't Be Done" But . . ., 1093.
BENNETT, ROBERT W.—Tungsten-Arc Welding the Root Pass of Power-Pipe Joints, 1175–1181.
BLODGETT, OMER W.—Practical Approach to Determine Weld Size, 775–782.
BOTT, H. B.—How to Weld Copper to Stainless Steel and Mild Steel, 236–238.
BOYER, MARTIN G.—4000-Lb Iron Castings Salvaged by Compressed Air–Arc Cutting, 239–240.
BRENNECKE, M. W.—Ultrasonic Welding of Aluminum, 969–975.
BRIDGEFARMER, JOE C.—The Hampton Road All-Welded Steel Arch Bridge, 317–325.
BRONS, C. D.—Maintaining Superior Weld Quality in a Plutonium Production Plant, 853–859.
BROWNING, JAMES A.—Plasma—A Substitute for the Oxy-fuel Flame, 870–875.
BRUGGE, B. J.—Submerged-Arc Welding Speeds Assembly of Rib Arch Framing, 582–583.
BUNDY, FARLAND C.—The Buffalo Bayou Bridge and Future Long-Span Possibilities, 665–671.
BUTLER, A. H. JR.—Boosting the Vanguard Satellites, 1094. No Margin for Error on This Job, 1192—1193.

CALLAHAN, D. E.—Training of Inert-Gas Welders at an Atomic Power Plant, 129–131.
CAMPBELL, JOHN—Control of Process Variables—Key to the Successful Welding of Foil, 1182–1191.
CAPLAN, EDWARD J.—We Couldn't Operate, 689.
CAPOLONGO, PAT—High-Frequency Induction Brazing and Soldering, 1059–1069.
CHOUINARD, A. F.—Progress Report on the Flux-Cored CO_2 Welding Process, 334–341.
COEN, MARTIN J.—Extrusions in Tank Fabrication, 982–986.
COLE, CLARENCE E.—Practical Welding Procedures, 772–774.
COLLINS, F. R.—Ultrasonic Welding of Aluminum, 969–975.
COUGHLIN, WM. J.—Recent Metal-Removal Developments with Compressed-Air Carbon-Arc Process, 755–759.
CRAWFORD, G. D.—No Margin for Error on This Job, 1192-1193.
CROSWELL, A. M.—Fabrication and Construction of Piping System for the Dresden Nuclear Power Station, 657–664.
CROWSON, C. F.—Magnetic-Flux Gas-Shielded Welding 3 to 1, 485.

DAVIS, W. A.—Automatic Welding Techniques Speed Erection of Reactor Vessels, 125–128.

DAWSON, JAMES K.—Roll-Spot Welding for Ballistic Missiles, 475–479.
DICKINSON, J. W.—Production Efficiency Slashes Costs, 686–687.
DONALDS, W. E.—Oxyacetylene Pressure Welding of High-Speed Rocket Test Track, 469–474.
DOWD, J. D.—Ultrasonic Welding of Aluminum, 969–975.

ELIOT, MILTON E.—The Hampton Road All-Welded Steel Arch Bridge, 317–325.

FRAGETTA, W. A.—The Welding of Inconel for Nuclear-Power Applications, 347–356.
FUNK, WILLIAM H.—Welded Clad Steel Pipe for Reactor Construction, 766–771.

GAGE, R. M.—The Principles of the Modern Arc Torch, 959–962.
GOEHRINGER, E. E.—Semiautomatic Submerged-Arc Welding Speeds Fabrication of Large Beams, 138–140.
GRABLE, G. B.—Fabrication and Construction of Piping System for the Dresden Nuclear Power Station, 657–664.
GREEN, G. J.—Training of Inert-Gas Welders at an Atomic Power Plant, 129–131.
GULLEY, J. F.—Economies Effected in the Semiautomatic Welding of Piling, 887–888.

HACKMAN, R. L.—New Developments in the Welding of Aluminum, 676–684.
HANDWERK, WILLIAM B.—Submerged-Arc Welding on the Pipe Line, 672–675.
HARTWICK, GLENN—Gas-Shielded Metal-Arc Welding Used in Fabricating Intricate Processing Controls, 994 and 996.
HASLIP, L. R.—Tungsten-Arc Welding of Tantalum, 1165–1174.
HAY, ROBERT A.—Submerged-Arc Applications in the Fabrication of Railroad-Car Components, 13–19.
HEGINBOTHAM, W. B.—Electro-Slag Method of Welding Metals of Large Thickness, 132–134.
HERRSCHAFT, D. C.—Predicting Gap Change Reduces Trial Runs in Brazing Dissimilar Metal Joints, 232–235.
HILL, A. M.—Maintenance Welding of High-Test Line Pipe, 326–333.
HOKANSON, E. W.—Automation Makes the Difference, 1097.
HOWERY, J. A.—Progress Report on the Flux-Cored CO_2 Welding Process, 334–341.

JENSEN, CYRIL D.—Plastic Design in Welded Structures Promises New Economy and Safety, 222–231.
JOHNSON, L. W.—Production Efficiency Slashes Costs, 686–687.

KIRKLEY, GEORGE W.—America's "Ace in the Hole"—Atomic Submarines, 783–785.
KOEHLER, M. L.—Welded-Steel Transfer Bridge for Loading Railroad-Car Floats, 860–864.
KOZIARSKI, J.—Some Considerations on Design for Fatigue in Welded Aircraft Structures, 565–575.

LANZARA, A. A.—Sterling-Plus-Lithium Alloy Selected for Brazing B-58 Stainless-Steel Sandwich Panels, 118–124.
LIBSCH, JOSEPH—High-Frequency Induction Brazing and Soldering, 1059–1069.
LOONEY, J. E.—Spray Hard Surfacing Increases Service Life of Fans 20 Times, 998.
LYTTON, CHARLES W.—Welded Atomic-Power-Plant Boiler Containers Are Sealed in a Vault, 241–242.

MATLOCK, CHARLES S.—The Buffalo Bayou Bridge and Future Long-Span Possibilities, 665–671.
MAY, ROBERT S.—Mirage in Maracaibo, 37–38. Welded-Aluminum Boats Replace Steel, 690.
MCELRATH, T.—Inert-Gas Consumable-Electrode Welding of Thin Materials, 28–33.
MCKITTRICK, E. S.—Oxyacetylene Pressure Welding of High-Speed Rocket Test Track, 469–474.
MEIERHOFF, M. W.—King-Size Fittings, Five Times Faster, 685–686.
MEREDITH, RUSSELL—Fusion Welding Precipitation-Hardening Steels, 963–968.

NELSON, HOMER B.—Recent Metal-Removal Developments with Compressed-Air Carbon-Arc Process, 755–759.
NETTLETON, DOUGLAS A.—The Hampton Road All-Welded Steel Arch Bridge, 317–325.
NEWCOM, S. L.—Spray Hard Surfacing Increases Service Life of Fans 20 Times, 998.

OXLEY, P. B. L.—Electro-Slag Method of Welding Metals of Large Thickness, 132–134.
PAYNE, B. S.—Tungsten-Arc Welding of Tantalum, 1165–1174.
PEASE, G. R.—The Welding of Inconel for Nuclear-Power Applications, 347–356.
POPPEN, SHERMAN R.—America's "Ace in the Hole"—Atomic Submarines, 783–785.
POWELL, WM. LLEWELLYN—The Hampton Road All-Welded Steel Arch Bridge, 317–325.
PURCELL, WEB—Through Snow, Sleet or Swamp, 362–363.

REES, A. L.—Tungsten-Arc Welding Shows the Way, 242.
REEVES, E. B.—Welded-Plate-Girder-Arches Span 226-Ft Stadium, 786.
RESH, STEPHEN H.—Tungsten-Arc Cutting of Stainless-Steel Shapes in Steel-Warehousing Operations, 576–581.
RICHARDSON, STAN—Facelifting . . . Freighter Converted to Luxury Liner, 885–886.
RILEY, JOSEPH J.—Transformers for Resistance-Welding Machines, 1080–1090.
ROBERTS, STANLEY I.—Practical Welding Procedures, 772–774.
RYAN, ROBERT S.—Welder-Qualification Requirements for Pipe-Line Welders, 209–214.

SAUNDERS, H. L.—A Portable Pipe-Welding Machine, 876–884.
SETAPEN, A. M.—Sterling-Plus-Lithium Alloy Selected for Brazing B-58 Stainless-Steel Sandwich Panels, 118–124.
SEWART, FRED W.—Welded-Aluminum Boats Replace Steel, 690.
SIMS, KARL M.—Unitized Body Construction, 865–869.
SINGLETON, JR., O. R.—Joining Aluminum with High-Zinc Solders by Abrasion Soldering, 34–36.
SMITH, WILLIAM R.—Welding of Equipment for the Dresden Nuclear Power Station, 307–316.
SOMMER, GORDON M.—Development of Welded-Steel Lathes, 342–346.
SOTO, MARCELLO H.—Design Details for Welded Highway and Railway Bridges, 559–564.
SPALARIS, C. N.—Welding of Fuels and Controls for Dresden Nuclear Power Station, 760–765.
STEPATH, MYRON D.—Recent Metal-Removal Developments with Compressed-Air Carbon-Arc Process, 755–759.
STRAUSS, JOSEPH—Eight Miles of Welding on Cantilevered Plate Girders for Service Hangar, 357–358.
SULLIVAN, JOHN J.—We Couldn't Operate, 689.

TOZER, ALFRED—Alloy Steels for Big Shovel Welded by Semiautomatic Submerged Arc, 480–481.
TUTHILL, ROGER W.—Dip-Transfer Carbon-Dioxide Welding, 976–981.

WADE, P.D.—Automation Makes the Difference, 1097.
WAIT, JOHN D.—Tungsten-Arc Cutting of Stainless-Steel Shapes in Steel-Warehousing Operations, 576–581.
WARREN, GLENN—Gas-Shielded Metal-Arc Welding Used in Fabricating Intricate Processing Controls, 994 and 996.
WEYERS, J. W.—Welding of Fuels and Controls for Dresden Nuclear Power Station 760–765.
WILSON R. A.—Alloy Welding Fluxes for Low-Alloy Steels, Stainless Steels and Hard Surfacing, 20–27.
Fabrication of Welded Highway Girders, 111–117.
WOLGAST, R. P.—Welded-Steel Flasks Prove Highly Successful, 360–361.
WRIGHT, ROBERT R.—Welder-Qualification Requirements for Pipe-Line Welders, 209–214.

YOCH, A. H.—Oxygen Cuts Made on Rail Installation 184 Ft Long, 135.

ZILM, F. W.—Maintenance Welding of High-Test Line Pipe, 326–333.
ZWISSLER, CHARLES A.—Submerged-Arc Applications in the Fabrication of Railroad-Car Components, 13–19.

WELDING RESEARCH SUPPLEMENT

SUBJECT INDEX

Aircraft—Quartz-Lamp Radiant Brazing of Titanium-Alloy Honeycomb Sandwich Panels—J. F. RUDY, R. M. NECHELES and H. SCHWARTZBART, 202-s to 208-s.
Aluminum Alloys, Certain Structural Properties of Ultrasonic Welds in—J. B. JONES and W. C. POTTHOFF, 282-s to 288-s.
Aluminum Soldered to Uranium—H. W. MISHLER, J. T. NIEMANN, R. P. SOPHER and D. C. MARTIN, 268-s to 272-s.
Aluminum Welding Using the Inert-Plus-Nitrogen-Gas Metal-Arc Process—G. ALLEN, 132-s to 141-s.
Arcs—Plasma-Energy Transfer in Gas-Shielded Welding Arcs—H. C. LUDWIG, 296-s to 300-s.
Armor Steels—Transformational Behavior of Mn-Mo Armor Steels—E. F. NIPPES, W. F. SAVAGE and J. M. PAEZ, 475-s to 481-s.
Arsenic Effects on Weldability and Notch Toughness of Mild Steel—BWRA Literature Survey, 487-s to 496-s.

Beryllium, Welding of—E. L. BRUNDIGE, R. S. KIRBY, G. S. HANKS and J. M. TAUB, 410-s to 413-s.
Braze Bonding Stainless-Steel Fuel Elements for Nuclear Reactors—P.P. KING and R. K. MCGEARY, 241-s to 246-s.
Brazed Bimetals, Show Promise for Missile and Industrial Applications—R. C. BERTOSSA and S. RAU, 273-s to 281-s.
Brazed Joints, Inspection of: A Statistical Evaluation of Some Nondestructive Methods—R. R. RUPPENDER and E. G. BIANCO, 90-s to 96-s.
Brazed Joints, Metallurgy of Bonding in—N. BREDZS and H. SCHWARTZBART, 305-s to 314-s.
Brazing—Development of Titanium-Clad Steel Using a Vacuum Process—D. CANONICO and H. SCHWARTZBART, 71-s to 77-s.
Brazing by the Diffusion-Controlled Formation of a Liquid Intermediate Phase—J. F. LYNCH, L. FEINSTEIN and R. A. HUGGINS, 85-s to 89-s.
Brazing—Effects of Hydrogen Brazing on Properties of High-Temperature Alloys—G. S. HOPPIN III and E. N. BAMBERGER, 194-s to 201-s.
Brazing—High-Temperature Brazing Alloy-Base Metal Wetting Reactions—W. FEDUSKA, 122-s to 131-s.
Brazing High-Temperature Nickel-Base Alloys—E. H. KINELSKI and J. B. ADAMEC, 482-s to 486-s.
Brazing of Titanium-Alloy Honeycomb Sandwich Panels by Quartz-Lamp Radiation—J. F. RUDY, R. M. NECHELES and H. SCHWARTZBART, 202-s to 208-s.
Brittle Fracture as Affected by Residual Stress—H. KIHARA and K. MASUBUCHI, 159-s to 168-s.
Brittle Fracture—Evaluation of Weld-Joint Flaws as Initiating Points—R. P. SOPHER, A. L. LOWE, JR., D. C. MARTIN and P. J. RIEPPEL, 441-s to 450-s.
Brittle Fracture Initiation, Effect of Prestrain, Size and Residual Stresses—C. MYLONAS, 414-s to 424-s.
Brittle Fracture in a Low-Carbon Steel, Micromechanism of —G. T. HAHN, W. S. OWEN, B. L. AVERBACH and M. COHEN, 367-s to 376-s.
Brittle Fracture—Normalization Procedures for NRL Drop-Weight Test—P. P. PUZAK and A. J. BABECK, 209-s to 218-s.
Brittle Fracture—Pressure Equipment for Low-Temperature Service—C. R. SODERBERG, JR., 39-s to 44-s.
Brittle-Fracture Strength of Welded Spherical Container—H. KIHARA, K. MASUBUCHI, and H. ISHII, 451-s to 456-s.
Brittle-Fracture Tests of Steel Plates Containing Residual Compressive Strain—S. T. ROLFE, W. J. HALL and N. M. NEWMARK, 169-s to 175-s.
Brittle Fractures Spontaneously Induced in Welded-Steel Disks—A. VINCKIER, 354-s to 359-s.

Cantilever Wedge Beams—W. J. KREFELD, D. J. BUTLER and G. B. ANDERSON, 97-s to 112-s.
Carbon-Dioxide-Shielded Metal-Arc Welding of Carbon-Steel Plate—R. J. KELLER, 27-s to 38-s; Correction, 112-s.
Carbon-Dioxide Shielding, Corrosion of Stainless-Steel Welds—B. E. HOPKINSON and D. W. MCDOWELL, 188-s to 193-s.
Cast Iron—Process Welding of Nodular and Gray-Iron Castings—B. TOWNSHEND and E. O. PORTER, 329-s to 334-s.
Chrome-Moly Steels, Welding of Medium-Alloy—K. R. NOTVEST, 222-s to 227-s.
Cooperative Research, Cost of—W. SPRAGUE, 440-s.
Corrosion Characteristics of Types 304 and 304L Weldments—M. W. MARSHALL, 247-s to 250-s.
Corrosion of Stainless-Steel Welds Formed with Carbon-Dioxide Shielding—B. E. HOPKINSON and D. W. MCDOWELL, 188-s to 193-s.
Corrosion of Welds in Type 316 and 316L Stainless Steel and Related Problems—M. E. CARRUTHERS, 259-s to 267-s.

Dissimilar Metals—Welding Stainless Steel to Carbon or Low-Alloy Steel—J. J. B. RUTHERFORD, 19-s to 26-s.
Drop-Weight Test Normalization Procedures for—P. P. PUZAK and A. J. BABECKI, 209-s to 218-s.

Electrodes—Development, Properties and Usability of Low-Hydrogen Electrodes—D. C. SMITH, 377-s to 392-s.
Electron-Beam Welding—G. BURTON, JR., and WM. L. FRANKHOUSER, 401-s to 409-s.

Fatigue Life as Affected by Internal-Stress Distribution in Single Spot Welds—G. WELTER and A. CHOQUET, 145-s to 158-s.
Fatigue Strength, Effect of Residual Stress on—D. S. DUGDALE, 45-s to 48-s.
Fatigue of Welds—Effects of Martensite, Bainite and Residual Stresses—R. E. KEITH, 142-s to 143-s.

Heat-Affected Zone, Weld—Adams Lecture—E. F. NIPPES, 1-s to 18-s.

Inert-Gas-Shielded Metal-Arc Welding of Carbon Steel Plate, Carbon Dioxide—R. J. KELLER, 27-s to 38-s.
Inspection and Evaluation of Ship Welds by Isotope Techniques—E. L. CRISCUOLO, 324-s to 328-s.
Inspection of Ship Welds with Scattered Gamma Radiation —J. I. BUJES, 301-s to 304-s.

Low-Alloy Steel Welded to Stainless Steel—J. J. B. RUTHERFORD, 19-s to 26-s.
Low-Blow Transition Temperature Effect of Charpy Specimen Geometry—G. M. ORNER, 315-s to 323-s.
Low-Hydrogen Electrodes, Development Properties and Usability of —D. C. SMITH, 377-s to 392-s.

Nickel-Molybdenum Alloys, Welding of—G. M. SLAUGHTER, P. PATRIARCA and R. E. CLAUSING, 393-s to 400-s.
Nickel Steel for Low Temperature Service—Properties Affecting Suitability of 9 Percent—T. N. ARMSTRONG, J. H. GROSS, and R. E. BRIEN, 57-s to 65-s; Discussion by W. L. NEELY, 65-s to 68-s; Discussion by C. E. HARTBOWER and W. P. HATCH, 69-s to 70-s; Authors' Closure, 70-s.
Nodular and Gray-Iron Casting, Process Welding of—B. TOWNSHEND and E. O. PORTER, 329-s to 334-s.
Notch Toughness—Effect of Microstructure—E. H. KOTTCAMP, JR., and R. D. STOUT, 435-s to 440-s.
Nuclear Reactors, Braze Bonding Stainless-Steel Fuel Elements for —P. P. KING and R. K. MCGEARY, 241-s to 246-s.

Plasma-Energy Transfer in Gas-Shielded Welding Arcs—H. C. LUDWIG, 296-s to 300-s.
Pressure Equipment for Low-Temperature Service—C. R. SODERBERG, JR., 39-s to 44-s.
Pressure Vessel—Brittle Fracture Strength of Welded Spherical Container—H. KIHARA, K. MASUBUCHI, and H. ISHII, 451-s to 456-s.
Pressure Vessel Steels, Effect of Heat Treatment and Fabrication on Heavy Section—A. I. RUBIN, J. H. GROSS and R. D. STOUT, 182-s to 187-s.

Reinforcing Bars for Concrete Construction, Welding of—J. F. RUDY, F. SUYAMA and H. SCHWARTZBART, 335-s to 340-s; Discussion by W. Sanders, Jr. and W. H. Munse, 340-s to 342-s; Discussion by C. R. Rea, 342-s; Discussion by M. F. Couch and R. E. Somers, 343-s; Authors' Closure, 343-s to 344-s.
Residual Stress, Effect on Fatigue Strength—D. S. DUGDALE, 45-s to 48-s.

Residual Stress, Effects on Brittle Fracture—H. KIHARA and K. MASABUCHI, 159-s to 168-s.
Residual Stresses, Effects in Brittle-Fracture Initiation—C. MYLONAS, 414-s to 424-s.
Residual Stresses, Effects on Fatigue of Welds—R. E. KEITH, 142-s to 143-s; Correction, 409-s.
Resistance Seam Welding of Zinc Coated Sheet Steel—C. W. VOLEK and M. L. BEGEMAN, 113-s to 121-s.
Seam Welding of Zinc Coated Sheet Steel—C. W. VOLEK and M. L. BEGEMAN, 113-s to 121-s.
Spot Welding of Steel, Effect of Backup Variables on Series—E. F. NIPPES, W. F. SAVAGE and K. E. DORSCHU, 49-s to 56-s.
Spot Welding of Titanium Alloys—R. K. NOLEN, J. F. RUDY, H. SCHWARTZBART and H. D. KESSLER, 219-s to 221-s.
Spot Welding of a 12%-Cr Martensitic Stainless Steel—E. F. NIPPES, W. F. SAVAGE, L. C. IANNIELLO and W. A. OWCZARSKI, 360-s to 366-s.
Spot Welds as Affected in Fatigue by Internal-Stress Distribution—G. WELTER and A. CHOQUET, 145-s to 158-s.
Stainless Steel Corrosion Characteristics of Types 304 and 304L Weldments—M. W. MARSHALL, 247-s to 250-s.
Stainless Steel—Elevated-Temperature Properties of Modified Type 347 Weld Metals—T. J. MOORE, 457-s to 474-s.
Stainless-Steel Fuel Elements, Braze Bonded for Nuclear Reactors—P. P. KING and R. K. MCGEARY, 241-s to 246-s.
Stainless Steel, Spot Welding of a 12%-Cr Martensitic—E. F. NIPPES, W. F. SAVAGE, L. C. IANNIELLO and W. A. OWCZARSKI, 360-s to 366-s.
Stainless Steel Weld Corrosion in Type 316 and 316L—M. E. CARRUTHERS, 259-s to 267-s.
Stainless Steel Welded to Carbon or Low-Alloy Steel—J. J. B. RUTHERFORD, 19-s to 26-s.
Stainless-Steel Welds Formed with Carbon-Dioxide Shielding, Corrosion of—B. E. HOPKINSON and D. W. MCDOWELL, 188-s to 193-s.
Stainless Steels, Welding Properties of Chromium-Nickel-Molybdenum Hardenable Stainless Steels—R. H. KALTENHAUSER, 228-s to 240-s.
Structural—Corner Connections Loaded in Tension—J. W. FISHER and GEORGE C. DRISCOLL, JR., 425-s to 434-s.
Structural—Welded Cantilever Wedge Beams—W. J. KREFELD, D. J. BUTLER and G. B. ANDERSON, 97-s to 112-s.

Titanium-Alloy Quartz-Lamp Radiant Brazing of Honeycomb Sandwich Panels—J. F. RUDY, R. M. NECHELES and H. SCHWARTZBART, 202-s to 208-s.
Titanium Alloys, Spot Welding of—R. K. NOLEN, J. F. RUDY, H. SCHWARTZBART and H. D. KESSLER, 219-s to 221-s.
Titanium-Clad Steel Using a Vacuum-Brazing Process—D. CANONICO and H. SCHWARTZBART, 71-s to 77-s.
Titanium, Vacuum Diffusion Joining of E. J. CLARK, 251-s to 258-s.
Titanium for Welded Missiles, Feasibility of—C. E. HARTBOWER, G. M. ORNER and D. M. DALEY, JR., 345-s to 353-s.
Transition Temperature, Effect of Specimen Geometry on Charpy Low-Blow—G. M. Orner, 315-s to 323-s.

Ultrasonic Welds, in Aluminum Alloys, Properties of—J. B. JONES and W. C. POTTHOFF, 282-s to 288-s.
Uranium Soldered to Aluminum—H. W. MISHLER, J. T. NIEMANN, R. P. SOPHER and D. C. MARTIN, 268-s to 272-s.

Weldability—Cast-Pin Tear Test for Susceptibility to Hot Cracking—F. C. HULL, 176-s to 181-s.
Weldability—Effect of Heat Treatment and Fabrication on Heavy-Section Pressure-Vessel Steels—A. I. RUBIN, J. H. GROSS and R. D. STOUT, 182-s to 187-s.
Weldability—Effect of Microstructure on Notch Toughness—E. H. KOTTCAMP, JR. and R. D. STOUT, 435-s to 440-s.
Weldability—Effect of Specimen Geometry on Charpy Low-Blow Transition Temperature—G. M. ORNER, 315-s to 323-s.
Weldability—Evaluation of Weld-Joint Flaws as Initiating Points of Brittle Fracture, Part II—R. P. SOPHER, A. L. LOWE, Jr., D. C. MARTIN and P. J. RIEPPEL, 441-s to 450-s.
Weldability—Properties Affecting Suitability of 9 Percent Nickel Steel for Low-Temperature Service—T. N. ARMSTRONG, J. H. GROSS and R. E. BRIEN, 57-s to 65-s; Discussion by W. L. NEELY, 65-s to 68-s; Discussion by C. E. HARTBOWER and W. P. HATCH, 69-s to 70-s; Author's Closure, 70-s.
Weldability—Spontaneously Induced Brittle Fractures in Welded-Steel Disks—A. VINCKIER, 354-s to 359-s.
Weldability—Transformational Behavior of Mn-Mo Armor Steels—E. F. NIPPES, W. F. SAVAGE and J. M. PAEZ, 475-s to 481-s
Weldability—The Weld Heat-Affected Zone—Adams Lecture—E. F. NIPPES, 1-s to 18-s.
Weldability—Welding of Nickel-Molybdenum Alloys—G. M. SLAUGHTER, P. PATRIARCA and R. E. CLAUSING, 393-s to 400-s.
Weldability of Medium-Alloy Chrome-Moly Steels—K. R. NOTVEST, 222-s to 227-s.
Weldability and Notch Toughness of Mild Steel as Effected by Arsenic—BWRA Literature Survey, 487-s to 496-s.
Welding Research Council—W. SPRARAGEN, 144-s.

Zircaloy-2—Evaluation of the Diffusion-Bonding in—W. FEDUSKA, 289-s to 295-s.
Zirconium-Clad Reactor Fuel Pins, Methods for End Capping—J. J. VAGI, R. L. KOPPENHOFER and D. C. MARTIN, 78-s to 84-s.

AUTHOR INDEX

ADAMEC, J. B.—New Developments in Brazing High-Temperature Nickel-Base Alloys, 482-s to 486-s.
ALLEN, GEORGE—Aluminum Welding Using the Inert-Plus-Nitrogen-Gas Metal-Arc Process, 132-s to 141-s.
ANDERSON, G. B.—Welded Cantilever Wedge Beams, 97-s to 112-s.
ARMSTRONG, T. N.—Properties Affecting Suitability of 9 Percent Nickel Steel for Low-Temperature Service, 57-s to 65-s; Authors' Closure, 70-s.
AVERBACH, B. L.—Micromechanism of Brittle Fracture in a Low-Carbon Steel, 367-s to 376-s.

BABECKI, A. J.—Normalization Procedures for NRL Drop-Weight Test, 209-s to 218-s.
BAMBERGER, E. N.—Effects of Hydrogen Brazing on Properties of High-Temperature Alloys, 194-s to 201-s.
BEGEMAN, M. L.—Effect of Zinc Coatings on Resistance Seam Welding of Sheet Steel, 113-s to 121-s.
BERTOSSA, ROBERT C.—Heat-Extractive Brazed Bimetals Show Promise for Missile and Industrial Applications, 273-s to 281-s.
BIANCO, E. G.—Inspection of Brazed Joints: A Statistical Evaluation of Some Nondestructive Methods, 90-s to 96-s.
BREDZS, NIKOLJAS—Metallurgy of Bonding in Brazed Joints, 305-s to 314-s.
BRIEN, R. E.—Properties Affecting Suitability of 9 Percent Nickel Steel for Low-Temperature Service, 57-s to 65-s; Authors' Closure, 70-s.
BRUNDIGE, E. L.—Welding of Beryllium, 410-s to 413-s.
BUJES, J. I.—Instantaneous Inspection of Ship Welds with Scattered Gamma Radiation, 301-s to 304-s.
BURTON, G., JR.—Electron-Beam Welding, 401-s to 409-s.
BUTLER, D. J.—Welded Cantilever Wedge Beams, 97-s to 112-s.

CANONICO, D.—Development of Titanium-Clad Steel Using a Vacuum-Brazing Process, 71-s to 77-s.
CARRUTHERS, M. E.—Weld Corrosion in Type 316 and 316L Stainless Steels and Related Problems, 259-s to 267-s.
CHOQUET, A.—Internal-Stress Distribution of Single Spot Welds in Relation to Their Fatigue Life, 145-s to 158-s.
CLARK, E. J.—Vacuum Diffusion Joining of Titanium, 251-s to 258-s.
CLAUSING, R. E.—Welding of Nickel-Molybdenum Alloys, 393-s to 400-s.
COHEN, M.—Micromechanism of Brittle Fracture in a Low-Carbon Steel, 367-s to 376-s.
COUCH, M. F.—Discussion, "Welding of Reinforcing Bars for Concrete Construction," 343-s.
CRISCUOLO, E. L.—Isotope Techniques for Inspection and Evaluation of Ship Welds, 324-s to 328-s.

DALEY, DANIEL M., JR.—Feasibility of Titanium for Welded Missiles, 345-s to 353-s.
DORSCHU, K. E.—Effect of Backup Variables on Series Spot Welding of Steel, 49-s to 56-s.
DRISCOLL, GEORGE C., JR.—Corner Connections Loaded in Tension, 425-s to 434-s.
DUGDALE, D. S.—Effect of Residual Stress on Fatigue Strength, 45-s to 48-s.

FEDUSKA, W.—High-Temperature Brazing Alloy—Base Metal Wetting Reactions, 122-s to 131-s.
An Evaluation of the Diffusion-Bonding Characteristics of Zircaloy-2, 289-s to 295-s.
FEINSTEIN, LESTER—Brazing by the Diffusion-Controlled Formation of a Liquid Intermediate Phase, 85-s to 89-s.
FISHER, JOHN W.—Corner Connections Loaded in Tension, 425-s to 434-s.
FRANKHOUSER, WM. L.—Electron-Beam Welding, 401-s to 409-s.

GROSS, J. H.—Properties Affecting Suitability of 9 Percent Nickel Steel for Low-Temperature Service, 57-s to 65-s. Authors' Closure, 70-s.
Effect of Heat Treatment and Fabrication on Heavy-Section Pressure-Vessel Steels, 182-s to 187-s.

HAHN, G. T.—Micromechanism of Brittle Fracture in a Low-Carbon Steel, 367-s to 376-s.
HALL, W. J.—Brittle-Fracture Tests of Steel Plates Containing Residual Compressive Strain, 169-s to 175-s.
HANKS, G. S.—Welding of Beryllium, 410-s to 413-s.
HARTBOWER, C. E.—Discussion, "Properties Affecting Suitability of 9 Percent Nickel Steel for Low-Temperature Service," 65-s to 68-s.
Feasibility of Titanium for Welded Missiles, 345-s to 353-s.
HATCH, W. P.—Discussion, "Properties Affecting Suitability of 9 Percent Nickel Steel for Low-Temperature Service," 65-s to 68-s.
HOPKINSON, B. E.—Corrosion of Stainless-Steel Welds Formed with Carbon-Dioxide Shielding, 188-s to 193-s.
HOPPIN, G. S., III—Effects of Hydrogen Brazing on Properties of High-Temperature Alloys, 194-s to 201-s.
HUGGINS, ROBERT A.—Brazing by the Diffusion-Controlled Formation of a Liquid Intermediate Phase, 85-s to 89-s.
HULL, F. C.—Cast-Pin Tear Test for Susceptibility to Hot Cracking, 176-s to 181-s.

IANNIELLO, L. C.—Spot Welding of a 12%-Cr Martensitic Stainless Steel, 360-s to 366-s.
ISHII, HIROSHI—Brittle-Fracture Strength of Welded Spherical Container, 451-s to 456-s.

JONES, J. BYRON—Certain Structural Properties of Ultrasonic Welds in Aluminum Alloys, 282-s to 288-s.

KALTENHAUSER, R. H.—Welding Properties of Chromium-Nickel-Molybdenum Hardenable Stainless Steels, 228-s to 231-s.
KEITH, R. E.—Effects of Martensite, Bainite and Residual Stresses on Fatigue of Welds, 142-s to 143-s; Correction, 409-s.
KELLER, R. J.—Carbon-Dioxide-Shielded Metal-Arc Welding of Carbon-Steel Plate, 27-s to 38-s; Correction, 112-s.
KESSLER, H. D.—Spot Welding of Titanium Alloys, 219-s to 221-s.
KIHARA, HIROSHI—Effect of Residual Stress on Brittle Fracture, 159-s to 168-s.
Brittle-Fracture-Strength of Welded Spherical Container, 451-s to 456-s.
KINELSKI, E. H.—New Developments in Brazing High-Temperature Nickel-Base Alloys, 482-s to 486-s.
KING, P. P.—Braze Bonding Stainless-Steel Fuel Elements for Nuclear Reactors, 241-s to 246-s.
KIRBY, R. S.—Welding of Beryllium, 410-s to 413-s.
KOPPENHOFER, R. L.—Methods for End Capping Zirconium-Clad Reactor Fuel Pins, 78-s to 84-s.
KOTTCAMP, E. H., JR.—Effect of Microstructure on Notch Toughness—Part IV, 435-s to 440-s.
KREFELD, W. J.—Welded Cantilever Wedge Beams, 97-s to 112-s.

LOWE, A. L., JR.—Evaluation of Weld-Joint Flaws as Initiating Points of Brittle Fracture—Part II, 441-s to 450-s.
LUDWIG, H. C.—Plasma-Energy Transfer in Gas-Shielded Welding Arcs, 296-s to 300-s.
LYNCH, JAMES F.—Brazing by the Diffusion-Controlled Formation of a Liquid Intermediate Phase, 85-s to 89-s.

MARSHALL, M. W.—Corrosion Characteristics of Types 304 and 304L Weldments, 247-s to 250-s.
MARTIN, D. C.—Methods for End Capping Zirconium-Clad Reactor Fuel Pins, 78-s to 84-s.
Solder Bonding Aluminum to Uranium, 268-s to 272-s.
Evaluation of Weld-Joint Flaws as Initiating Points of Brittle Fracture—Part II, 441-s to 450-s.
MASUBUCHI, KOICHI—Effect of Residual Stress on Brittle Fracture, 159-s to 168-s.
Brittle-Fracture Strength of Welded Spherical Container, 451-s to 456-s.
MCDOWELL, D. W.—Corrosion of Stainless-Steel Welds Formed with Carbon-Dioxide Shielding, 188-s to 193-s.
MCGEARY, R. K.—Braze Bonding Stainless-Steel Fuel Elements for Nuclear Reactors, 241-s to 246-s.
MISHLER, H. W.—Solder Bonding Aluminum to Uranium, 268-s to 272-s.
MOORE, THOMAS J.—Elevated-Temperature Properties of Modified Type 347 Weld Metals, 457-s to 474-s.
MUNSE, W. H.—Discussion, "Welding of Reinforcing Bars for Concrete Construction," 340-s to 342-s.
MYLONAS, C.—Prestrain, Size and Residual Stresses in Static Brittle-Fracture Initiation, 414-s to 424-s.

NECHELES, ROBERT M.—Quartz-Lamp Radiant Brazing of Titanium-Alloy Honeycomb Sandwich Panels, 202-s to 208-s.
NEELY, W. L.—Discussion, "Properties Affecting Suitability of 9 Percent Nickel Steel for Low-Temperature Service," 65-s to 68-s.
NEWMARK, N. M.—Brittle-Fracture Tests of Steel Plates Containing Residual Compressive Strain, 169-s to 175-s.
NIEMANN, J. T.—Solder Bonding Aluminum to Uranium, 268-s to 272-s.
NIPPES, ERNEST F.—The Weld Heat-Affected Zone, 1-s to 18-s.
Effect of Backup Variables on Series Spot Welding of Steel, 49-s to 56-s.
Spot Welding of a 12%-Cr Martensitic Stainless Steel, 360-s to 366-s.
Transformational Behavior of Mn-Mo Armor Steels, 475-s to 481-s.
NOLEN, R. K.—Spot Welding of Titanium Alloys, 219-s to 221-s.
NOTVEST, KENNETH R.—Welding of Medium-Alloy Chrome-Moly Steels, 222-s to 227-s.

ORNER, GEORGE M.—Effect of Specimen Geometry on Charpy Low-Blow Transition Temperature, 315-s to 323-s.
Feasibility of Titanium for Welded Missiles, 345-s to 353-s.
OWCZARSKI, W. A.—Spot Welding of a 12%-Cr Martensitic Stainless Steel, 360-s to 366-s.
OWEN, W. S.—Micromechanism of Brittle Fracture in a Low-Carbon Steel, 367-s to 376-s.

PAEZ, J. M.—Transformational Behavior of Mn-Mo Armor Steels, 475-s to 481-s.
PATRIARCA, P.—Welding of Nickel-Molybdenum Alloys, 393-s to 400-s.
PORTER, ELLIS O.—Process Welding of Nodular and Gray-Iron Castings, 329-s to 334-s.
POTTHOFF, W. C.—Certain Structural Properties of Ultrasonic Welds in Aluminum Alloys, 282-s to 288-s.
PUZAK, P. P.—Normalization Procedures for NRL Drop-Weight Test, 209-s to 218-s.

RAU, STEVEN—Heat-Extractive Brazed Bimetals Show Promise for Missile and Industrial Applications, 273-s to 281-s.
REA, CLARENCE R.—Discussion, "Welding of Reinforcing Bars for Concrete Construction," 342-s.
RIEPPEL, P. J.—Filler Wire for Welding Army Ordnance Armor, 232-s to 240-s.
Evaluation of Weld-Joint Flaws as Initiating Points of Brittle Fracture—Part II—441-s to 450-s.
ROLFE, S. T.—Brittle-Fracture Tests of Steel Plates Containing Residual Compressive Strain, 169-s to 175-s.
RUBIN, A. I.—Effect of Heat Treatment and Fabrication on Heavy-Section Pressure-Vessel Steels, 182-s to 187-s.
RUDY, JOHN F.—Quartz-Lamp Radiant Brazing of Titanium-Alloy Honeycomb Sandwich Panels, 202-s to 208-s.
Spot Welding of Titanium Alloys, 219-s to 221-s.
Welding of Reinforcing Bars for Concrete Construction, 335-s to 340-s; Authors' Closure, 343-s to 344-s.
RUPPENDER, R. R.—Inspection of Brazed Joints: A Statis-

tical Evaluation of Some Nondestructive Methods, 90-s to 96-s.
RUTHERFORD, JOHN J. B.—Welding Stainless Steel to Carbon or Low-Alloy Steel, 19-s to 26-s.

SANDERS, W., JR.—Discussion, "Welding of Reinforcing Bars for Concrete Construction," 340-s to 342-s.
SAVAGE, W. F.—Effect of Backup Variables on Series Spot Welding of Steel, 49-s to 56-s.
Spot Welding of a 12%-Cr Martensitic Stainless Steel, 360-s to 366-s.
Transformational Behavior of Mn-Mo Armor Steels, 475-s to 481-s.
SCHWARTZBART, H.—Development of Titanium-Clad Steel Using A Vacuum-Brazing Process, 71-s to 77-s.
Quartz-Lamp Radiant Brazing of Titanium-Alloy Honeycomb Sandwich Panels, 202-s to 208-s.
Spot Welding of Titanium Alloys, 219-s to 221-s.
Metallurgy of Bonding in Brazed Joints, 305-s to 314-s.
Welding of Reinforcing Bars for Concrete Construction, 335-s to 340-s; Authors' Closure 343-s to 344-s.
SILVERSTEIN, S. M.—Filler Wire for Welding Army Ordnance Armor, 232-s to 240-s.
SLAUGHTER, G. M.—Welding of Nickel-Molybdenum Alloys, 393-s to 400-s.
SMITH, D. C.—Development, Properties and Usability of Low-Hydrogen Electrodes, 377-s to 392-s.
SODERBERG, C. R., JR.—Pressure Equipment for Low-Temperature Service, 39-s to 44-s.
SOMERS, R. E.—Discussion, "Welding of Reinforcing Bars for Concrete Construction," 343-s.
SOPHER, R. P.—Filler Wire for Welding Army Ordnance Armor, 232-s to 240-s.
Solder Bonding Aluminum to Uranium, 268-s to 272-s.
Evaluation of Weld-Joint Flaws as Initiating Points of Brittle Fracture—Part II, 441-s to 450-s.
SPRAGUE, W.—Looking Ahead with the Welding Research Council., 144-s.
Cost of Cooperative Research, 440-s.
STOUT, R. D.—Effect of Heat Treatment and Fabrication on Heavy-Section Pressure-Vessel Steels, 182-s to 187-s.
Effect of Microstructure on Notch Toughness—Part IV, 435-s to 440-s.
SUYAMA, F.—Welding of Reinforcing Bars for Concrete Construction, 335-s to 340-s; Authors' Closure, 343-s to 344-s.

TAUB, J. M.—Welding of Beryllium, 410-s to 413-s.
TOWNSHEND, BENJAMIN—Process Welding of Nodular and Gray-Iron Castings, 329-s to 334-s.

VAGI, J. J.—Methods for End Capping Zirconium-Clad Reactor Fuel Pins, 78-s to 84-s.
VINCKIER, A.—Spontaneously Induced Brittle Fractures in Welded-Steel Disks, 354-s to 359-s.
VOLEK, C. W.—Effect of Zinc Coatings on Resistance Seam Welding of Sheet Steel, 113-s to 121-s.

WELTER, G.—Internal Stress Distribution of Single Spot Welds in Relation to Their Fatigue Life, 145-s to 158-s.